THE SOUTHWESTERN NATURALIST 37(4):446–458 DECEMBER 1992

INDEX TO VOLUME 37

Troy L. Best and Tammi D. Henry

Department of Zoology and Wildlife Science and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849–5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (for example, a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abies
concolor, 188
lasiocarpa, 356
religiosa, 92
Acacia, 376, 408–414
amentacea, 114
chiapensis, 410
cochliacantha, 114, 409, 410, 412–414
collinsii, 409–414
constricta, 114
cornigera, 114, 410, 412, 414
farnesiana, 114
gladiata, 414
globulifera, 410
gregii, 213
hindsii, 409–414
hirtipes, 412
macracantha, 410, 411, 413
pennatula, 409–412, 414
sphaerocephala, 410
standleyi, 412, 414
tortuosa, 114
Acaena elongata, 92
Acanthocephala, 109
Acarina, 426
Acer negundo, 356
Achnanthaceae, 150
Achnanthes
affinis, 148–150, 152–154
clevei, 150
flexella, 150
lanceolata, 150
linearis, 150
microcephala, 150
minutissima, 150, 154
Acmaeodera, 115
cuneata, 107, 111
Acrididae, 109, 362–371
Actitis macularia, 87, 388, 397
Aeromonas hydrophilus, 426
Aeshnidae, 170
Agave
lecheguilla, 275, 278
lechugilla, 387
Agelaius phoeniceus, 358, 392, 399, 400
Agonum
koepkei, 106
longicolle, 106, 113
Agrionidae, 170, 173, 176
Aimophila
botterii, 73
cassini, 389
cassinii, 73
Aix sponsa, 400
Allium mutabile, 368, 369
Allozymic and morphologic variation among *Dipodomys insularis*, *Dipodomys nitratoides*, and two populations of *Dipodomys merriami* (Rodentia: Heteromyidae), Troy L. Best and Laura L. Janecek, 1–8
Altica, 108
Alvarez-Castañeda, Sergio Ticul, Notas sobre un parto anormal en *Anoura geoffroyi* (Chiroptera: Mammalia), 420–421
Amara chalcea, 105, 106
Amblytropidia mysteca, 364
Ambrosia bidentata, 369
Ambystoma, 56–58, 61, 62
annulatum, 425–426
Ambystomatidae, 425–426
Amierus
melas, 142
natalis, 142
Ammodramus savannarum, 73, 399, 400
Ammospermophilus harrisi, 254
Amphispiza
belli, 401
bilineata, 254, 389, 390
Amphora
coffeiformis, 150
ovalis, 150
perpusilla, 150
Ampullariidae, 194
Anas
acuta, 396
americana, 396, 400
clypeata, 396
crecca, 358, 396, 400
cyanoptera, 396, 400
discors, 400
platyrhynchos, 357, 358, 396, 400
platyrhyncos, 290–291
strepera, 358, 396
Anatidae, 268–273
Anchoa mitchilli, 16
Andropogon, 213
gerardii, 369
Anguilla rostrata, 146
Ankney, C. Davison, see Hohman, William L., —
Anolis richardi, 349
Anomoeoneis vitrea, 150
Anoura geoffroyi, 420–421
Anoura geoffroyi (Chiroptera: Mammalia), notas sobre un parto anormal en, Sergio Ticul Alvarez-Castañeda, 420–421
Ant records for Taylor Co., Texas, new, Rafael Jusino-Atresino and Sherman A. Phillips, Jr., 430–433
Ant-acacia hybrids of Mexico and Central America, John E. Ebinger and David S. Seigler, 408–414
Antennaria plantaginifolia, 369
Anthus
rubescens, 399, 400
spragueii, 386, 389
Aphelocoma
coerulescens, 293, 388, 400
ultramarina, 388
Aphenogaster, 110
Aphodius aenulus, 107
Apion, 108
Aquila chrysaetos, 395, 397
Araneae, 132–137
Arbutus xalapensis, 434
Archilochus alexandri, 388, 390
Arctostaphlus pungens, 434
Ardea herodias, 400
Aristida, 49–51, 213

THE SOUTHWESTERN NATURALIST 37(4):446–458 DECEMBER 1992

INDEX TO VOLUME 37

Troy L. Best and Tammi D. Henry

Department of Zoology and Wildlife Science and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849–5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (for example, a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abies
concolor, 188
lasiocarpa, 356
religiosa, 92
Acacia, 376, 408–414
amentacea, 114
chiapensis, 410
cochliacantha, 114, 409, 410, 412–414
collinsii, 409–414
constricta, 114
cornigera, 114, 410, 412, 414
farnesiana, 114
gladiata, 414
globulifera, 410
gregii, 213
hindsii, 409–414
hirtipes, 412
macracantha, 410, 411, 413
pennatula, 409–412, 414
sphaerocephala, 410
standleyi, 412, 414
tortuosa, 114
Acaena elongata, 92
Acanthocephala, 109
Acarina, 426
Acer negundo, 356
Achnanthaceae, 150
Achnanthes
affinis, 148–150, 152–154
clevei, 150
flexella, 150
lanceolata, 150
linearis, 150
microcephala, 150
minutissima, 150, 154
Acmaeodera, 115
cuneata, 107, 111
Acrididae, 109, 362–371
Actitis macularia, 87, 388, 397
Aeromonas hydrophilus, 426
Aeshnidae, 170
Agave
lecheguilla, 275, 278
lechugilla, 387
Agelaius phoeniceus, 358, 392, 399, 400
Agonum
koepkei, 106
longicolle, 106, 113
Agrionidae, 170, 173, 176
Aimophila
botterii, 73
cassini, 389
cassinii, 73
Aix sponsa, 400
Allium mutabile, 368, 369
Allozymic and morphologic variation among *Dipodomys insularis*, *Dipodomys nitratoides*, and two populations of *Dipodomys merriami* (Rodentia: Heteromyidae), Troy L. Best and Laura L. Janecek, 1–8
Altica, 108
Alvarez-Castañeda, Sergio Ticul, Notas sobre un parto anormal en *Anoura geoffroyi* (Chiroptera: Mammalia), 420–421
Amara chalcea, 105, 106
Amblytropidia mysteca, 364
Ambrosia bidentata, 369
Ambystoma, 56–58, 61, 62
annulatum, 425–426
Ambystomatidae, 425–426
Amierus
melas, 142
natalis, 142
Ammodramus savannarum, 73, 399, 400
Ammospermophilus harrisi, 254
Amphispiza
belli, 401
bilineata, 254, 389, 390
Amphora
coffeiformis, 150
ovalis, 150
perpusilla, 150
Ampullariidae, 194
Anas
acuta, 396
americana, 396, 400
clypeata, 396
crecca, 358, 396, 400
cyanoptera, 396, 400
discors, 400
platyrhynchos, 357, 358, 396, 400
platyrhyncos, 290–291
strepera, 358, 396
Anatidae, 268–273
Anchoa mitchilli, 16
Andropogon, 213
gerardii, 369
Anguilla rostrata, 146
Ankney, C. Davison, see Hohman, William L., —
Anolis richardi, 349
Anomoeoneis vitrea, 150
Anoura geoffroyi, 420–421
Anoura geoffroyi (Chiroptera: Mammalia), notas sobre un parto anormal en, Sergio Ticul Alvarez-Castañeda, 420–421
Ant records for Taylor Co., Texas, new, Rafael Jusino-Atresino and Sherman A. Phillips, Jr., 430–433
Ant-acacia hybrids of Mexico and Central America, John E. Ebinger and David S. Seigler, 408–414
Antennaria plantaginifolia, 369
Anthus
rubescens, 399, 400
spragueii, 386, 389
Aphelocoma
coerulescens, 293, 388, 400
ultramarina, 388
Aphenogaster, 110
Aphodius aenulus, 107
Apion, 108
Aquila chrysaetos, 395, 397
Araneae, 132–137
Arbutus xalapensis, 434
Archilochus alexandri, 388, 390
Arctostaphlus pungens, 434
Ardea herodias, 400
Aristida, 49–51, 213

Arphia
sulphurea, 363, 364, 366, 368, 370
xanthoptera, 364
Arsuffi, Thomas L., see Horne, Francis R., —
Artemisia, 114
Artibeus
jamaicensis, 415–418
lituratus, 415
Asclepias, 369
Asilidae, 171
Aster tanacetifolius, 51, 52
Asteraceae, 367
Astyanax mexicanus, 180–184, 262–265
Ataenius desertus, 107
Athene cunicularia, 388, 389
Atriplex, 270
canescens, 114
Auriparus flaviceps, 255
Availability and ingestion of lead shot by mourning doves (*Zenaida macroura*) in southeastern New Mexico, Troy L. Best, Tom E. Garrison, and C. Gregory Schmitt, 287–292
Aves, 344–348
Avian use of vernal pools at the Santa Rosa Plateau Preserve, Santa Ana Mountains, California, William S. Baker, Floyd E. Hayes, and Earl W. Lathrop, 392–403
Avifauna de dos asociaciones vegetales en el municipio de Galeana, Nuevo León, Mexico, Armando Jesus Contreras-Balderas, 386–391
Aythya
affinis, 400
americana, 65–72, 358, 400
collaris, 396
valisineria, 71

Baccharis pteronioides, 49, 52, 53, 73, 74
Bacopa, 208
Bacterium chitinivorum, 248
Baker, William S., Floyd E. Hayes, and Earl W. Lathrop, Avian use of vernal pools at the Santa Rosa Plateau Preserve, Santa Ana Mountains, California, 392–403
Barisia imbricata, 426
Bassariscus astutus, 105, 202–205
Bat reproduction in the Luquillo Experimental Forest of Puerto Rico, Michael R. Gannon and Michael R. Willig, 414–419
Bates, John M., Frugivory on *Bursera microphylla* (Burseraceae) by wintering gray vireos (*Vireo vicinior*, Vireonidae) in the coastal deserts of Sonora, Mexico, 252–258
Baumgardner, George D., Norman O. Dronen, and David J. Schmidly, Distributional status of short-tailed shrews (genus *Blarina*) in Texas, 326–328
Belostomatidae, 170
Bembidion, 106
Bergersen, Eric P., see Chart, Thomas E., and —
Bergmann, David J., and Stephen J. Chaplin, Correlates of species composition of grasshopper (Orthoptera: Acrididae) communities on Ozark cedar glades, 362–371
Best, Troy L., and Laura L. Janecek, Allozymic and morphologic variation among *Dipodomys insularis*, *Dipodomys nitratoides*, and two populations of *Dipodomys merriami* (Rodentia: Heteromyidae), 1–8
Best, Troy L., Tom E. Garrison, and C. Gregory Schmitt, Availability and ingestion of lead shot by mourning doves (*Zenaida macroura*) in southeastern New Mexico, 287–292
Bidens ferulaefolia, 299
Bioculus, 130, 131
Birkner, Matt C., see Gold, John R., —
Bison, 61
Blapstinus
metallicus, 108
praetensis, 108
Blarina
brevicauda, 326–328
carolinensis, 326–328
hylophaga, 326–328
Blinn, D. W., see Hardwick, G. G., —
Boa constrictor, 426
Bock, Carl E., and Jane H. Bock, Response of birds to wildfire in native versus exotic Arizona grassland, 73–81
Bock, Carl E., see Bock, Jane H., and —
Bock, Jane H., and Carl E. Bock, Short-term reductions in plant densities following prescribed fire in an ungrazed semidesert shrub-grassland, 49–53
Bock, Jane H., see Bock, Carl E., and —
Body condition, food habits, and molt status of late-wintering ruddy ducks in California, William L. Hohman, C. Davison Ankney, and Douglas L. Roster, 268–273
Bolitoglossa
dofleini, 316
mexicana, 315
mulleri, 315–316
odonnelli, 315, 316
Bolitoglossa mulleri (Caudata: Plethodontidae) from Mexico, first record of, Marco A. Lazcano-Barrero, 315–316
Bombycilla
cedorum, 255
garrulus, 358
Bonilla, Carlos, Emma Cisneros, and Victor Sánchez-Cordero, First record of the Mexican big-eared bat *Idionycteris phyllotis* (Vespertilionidae) in the state of Oaxaca, México, 429–430
Boopedon auriventris, 364, 365, 368
Boraginaceae, 197–199
Bos taurus, 358
Bothriochloa barbinodis, 49–52
Bouteloua, 49, 387
chondrosioides, 50, 51
curtipendula, 50, 51, 369
gracilis, 50, 51, 73, 367, 380
hirsuta, 50, 51
Braconidae, 171
Branta canadensis, 358, 396
Breceda Solis-Cámara, Aurora M., see Troyo-Diéguez, Enrique, and —
Brevoortia, 16
Brosimum alicastrum, 427
Brown, Bryan T., and Lawrence E. Stevens, Winter abundance, age structure, and distribution of bald eagles along the Colorado River, Arizona, 404–408
Brown, Bryan T., G. Scott Mills, Richard L. Glinski, and Stephen W. Hoffman, Density of nesting peregrine falcons in Grand Canyon National Park, Arizona, 188–193
Bruchidae, 108, 111, 114
Bruchus, 108
Bubo virginianus, 388
Bubulcus ibis, 388
Bucephala albeola, 400
Bufo, 204
Buprestidae, 107, 111
Bursera
fagaroides, 429
hindsiana, 252–258, 282
microphylla, 252–258, 282
morelensis, 429
simaruba, 253
Burseraceae, 252–258
Bush, J. K., see Van Auken, O. W., and —
Buteo
jamaicensis, 388, 390, 395, 397, 400
regalis, 386, 388–390, 395, 397
Buthidae, 110
Butorides striatus, 400
Byrrhidae, 107

Cabomba caroliniana, 196
Cactaceae, 379–385
Caesalpina coriaria, 114
Calamintha arkansana, 369
Calidris
alpina, 87
bairdii, 87
fuscicollis, 87
himantopus, 87
mauri, 87
melanotos, 87
minutilla, 87, 388, 397
pusilla, 87
Calleida viridis, 106

Calles cladotrichus, 109, 115
Calligrapha dislocata, 108
Callipepla californica, 400
Callisaurus draconoides, 311–314
Caloneis
bacillum, 150
hyalina, 151
Calothorax lucifer, 388, 390
Calypte anna, 398, 400
Cambarellus puer, 329
Cambarus diogenes, 329
Camelops, 61
Camponotus vicinus, 431, 432
Campostoma anomalum, 142, 143, 262–264
Campylacantha olivacea, 364
Campylorhynchus brunneicapillus, 254, 388
Cancino Z., Guadalupe, see Medellín, Rodrigo A., —
Canidae, 325
Canis familiaris, 393
Canis latrans, 323, 393
Carabidae, 105, 106
Carduelis psaltria, 389
Carex, 368, 369
Carex chihuahuensis, 299
Carnegia gigantea, 372
Carollia perspicillata, 415, 418
Carpiodes carpio, 262–264
Carpodacus mexicanus, 254, 389, 390
Carpoides carpio, 180–184
Casas-Andreu, Gustavo, see Méndez-de la Cruz, Fausto R., —
Cashman, Jenny L., Matthew Peirce, and Paul R. Krausman, Diets of mountain lions in southwestern Arizona, 324–326
Cashner, Robert C., see Stewart, Bruce G., —
Casmerodius albus, 400
Castilleja coccinea, 369
Cathartes aura, 388, 395, 396
Catoptrophorus semipalmatus, 87, 400
Catostomidae, 9–15, 140
Catostomus
clarki, 122
discobolus, 12
insignis, 122
latipinnis, 9–15
plebeius, 121
Caudata, 315–316, 425–426
Cecropia, 428
schreberiana, 417
Celtis, 55
pallida, 376
Centuroides, 110
Ceratonia siliquia, 114
Ceratopogonidae, 170
Cercidium, 281–284, 372
Ceryle alcyon, 358
Ceuthophilus, 204
Chaetocnema elongulata, 108, 113
Chaetodipus, 383
hispidus, 57, 58, 61–63
nelsoni, 382, 383
spinatus, 281
Chamaea fasciata, 401
Chaplin, Stephen J., see Bergmann, David J., and —
Chara, 206, 208, 337–342
Characters of the upper premolar of five species of *Dipodomys* and evidence for diphyly in the genus, Walter W. Dalquest, John V. Grimes, and Frederick B. Stangl, Jr., 231–246
Charadrius
montanus, 388
semipalmatus, 87
vociferus, 388, 397, 400
Chart, Thomas E., and Eric P. Bergersen, Impact of mainstream impoundment on the distribution and movements of the resident flannelmouth sucker (Catostomidae: *Catostomus latipinnis*) population in the White River, Colorado, 9–15
Chen rossii, 400
Chenopodiaceae, 22–27
Chertophaga viridifasciata, 368
Chironomidae, 168–171, 173, 268–273
Chiroptera, 420–421
Chloealtis conspersa, 364–366
Choeronycteris mexicana, 420, 429
Choleva americana, 106, 111, 114
Chondestes grammacus, 73, 389, 390, 399
Chortophaga viridifasciata, 364
Chromosomal NOR karyotypes and genome sizes in *Dionda* (Osteichthyes: Cyprinidae) from Texas and New Mexico, John R. Gold, Yucheng Li, Matt C. Birkner, and John D. Jenkin, 217–222
Chrysolina, 108
Chrysomelidae, 108, 113, 170, 325
Chrysothamnus, 114
Cicadidae, 109
Cicero, Carla, and Ned K. Johnson, Genetic differentiation between populations of Hutton's vireo (Aves: Vireonidae) in disjunct allopatry, 344–348
Cichlasoma cyanoguttatum, 180–184, 262–265
Circus cyaneus, 396
Cisneros, Emma, see Bonilla, Carlos, —
Cladophora glomerata, 148–156
Claytonia
lanceolata, 223–230
virginica, 226
Clemente M., Apamar, see Medellín, Rodrigo A., —
Clemmys marmorata, 319–324
Cleonus, 109
Cleridae, 107, 111
Cnemidophorus
exsanguis, 82–84
inornatus, 84
neomexicanus, 82–86
sexlineatus, 82–86
tesselatus, 82–86
Coccinellidae, 108, 113, 170
Cocconeis
pediculus, 148–150, 152–154
placentula, 148, 150
Coenagrionidae, 170, 176
Colaptes auratus, 254, 358, 388
Colubridae, 303–307
Colubrina glabra, 282, 283
Columba
fasciata, 395, 398, 400
livia, 290
Columbina inca, 388
Colydiidae, 108
Compositae, 92
Condalia, 387
globosa, 282
obovata, 95
Conepatus
semistriatus, 428
tropicalis, 428
Coniontis, 108
Conomyrma
flava, 431, 432
insana, 431, 432
Cononotus macer, 108
Conotelus stenoides, 108
Conotrachellus, 115
invadens, 109, 113
Conservation and status of Gila trout, *Oncorhynchus gilae*, David L. Propst, Jerome A. Stefferud, and Paul R. Turner, 117–125
Contreras-Balderas, Armando Jesus, Avifauna de dos asociaciones vegetales en el municipio de Galeana, Nuevo León, Mexico, 386–391
Corallus enydris, 426
Cordes, James E., see Walker, James M., Sr., —
Cordia boissieri, 197–199
Corduliidae, 170
Coreidae, 109
Coreopsis lanceolata, 368, 369
Corixidae, 170, 270
Cornus florida, 369
Correlates of species composition of grasshopper (Orthoptera: Acrididae) communities on Ozark cedar glades, David J. Bergmann and Stephen J. Chaplin, 362–371
Corvus, 388
brachyrhynchos, 398, 400
corax, 199–202, 398
Corydalidae, 169, 170
Coscinodiscaceae, 150
Cota-Serrano, Patricia, see Ruiz-Campos, Gorgonio, y —
Coxendix, 106
Craig, Gerald R., see Kralovec, Mary L., —
Cratogeomys, 232

Crematogaster
laeviuscula, 431, 432
minutissima, 431, 432
Crithmum maritimum, 23
Crotalus
cerastes, 426
lepidus, 426
Crotaphytus collaris, 204, 441
Croton
corymbulosus, 51
monanthogynus, 368, 369
Crotophaga sulcirostris, 388
Ctenopharyngodon idella, 138, 140, 142, 143, 145
Culicidae, 170
Cupidinimus, 231, 235, 241, 245
magnus, 234, 239
Curculionidae, 108, 113, 114, 170
Custer, Thomas W., see Mitchell, Christine A., —
Cyclotella michiganiana, 149, 150
Cydnidae, 109, 111
Cygnus columbianus, 400
Cymatodera
antennata, 107, 111, 115
latefasciata, 107
Cymbella
affinis, 149, 150, 153
amphicephala, 150
microcephala, 150
minuta, 150
prostrata, 150
pusilla, 150
sinuata, 150
tumidula, 150
Cymbellaceae, 150
Cymindis
arizonensis, 106, 111
interior, 106, 111
Cymtodera antennata, 113
Cynanthus latirostris, 388
Cynomys
gunnisoni, 357, 358
leucurus, 358
ludovicianus, 57, 61–63
Cyprinella
lutrensis, 142, 178, 180–185, 262–266
proserpina, 180–185, 262–266
venusta, 142, 143, 180–184, 262–265
Cyprinidae, 217–222
Cyprinodon, 185, 337–343
artifrons, 341
baconi, 341
beltrani, 337–343
eximius, 262–265
labiosus, 337–343
macularius, 341
maya, 337–343
nevadensis, 341
pecosensis, 178, 183, 186
rubrofluviatilis, 341
simus, 337–343
variegatus, 183, 186, 341
veracundus, 337, 338
Cyprinodontidae, 337–343
Cyprinus carpio, 12, 180–184, 262–264, 358

Dalea, 114
bicolor, 380
Dallasiellus discrepans, 109
Dalquest, Walter W., John V. Grimes, and Frederick B. Stangl, Jr., Characters of the upper premolar of five species of *Dipodomys* and evidence for diphyly in the genus, 231–246
Daniels, Gwendolyn L., and James D. Felley, Life history and foods of *Gambusia affinis* in two waterways of southwestern Louisiana, 157–165
Daniels, Gwendolyn L., see Felley, James D., and —
Dasylirion, 387
leiophyllum, 434
Deer densities in La Michilia: a reply to Galindo, Sonia Gallina and Exequiel Ezcurra, 422–424
Dendroica
pensylvanica, 255
townsendi, 389
Dendrotettix quercus, 364, 365
Density and distribution of *Selaginella lepidophylla* in the Black Gap area of the Chihuahuan Desert of western Texas, factors influencing the, O. W. Van Auken and J. K. Bush, 274–279
Density of nesting peregrine falcons in Grand Canyon National Park, Arizona, Bryan T. Brown, G. Scott Mills, Richard L. Glinski, and Stephen W. Hoffman, 188–193
Denticula elegans, 151
Dermacentor, 110
Desmodium, 369
Dialium guianense, 427
Diatoma
hiemale, 150
tenue, 150
vulgare, 148–150, 152, 154
Dichotomius carolinus, 107, 115
Dicotyles tajacu, 375
Didelphis
marsupialis, 427, 428
virginiana, 428
Didymocentrus, 130, 131
Diets of mountain lions in southwestern Arizona, Jenny L. Cashman, Matthew Peirce, and Paul R. Krausman, 324–326
Diminutive woodrat, *Nelsonia neotomodon*, in the Mexican transvolcanic range, range extension for the, John I. Glendinning, 92–93
Dionda
argentosa, 217–222, 259, 261–266
diaboli, 217–222, 259–267
episcopa, 180–185, 217–222, 259
serena, 217–222
texensis, 220
Diospyros
texana, 198
virginiana, 369
Diplocentridae, 126–131
Diplocentrus
colwelli, 131
gertschi, 126–131
hoffmanni, 130
keyserlingii, 130
rectimanus, 130
spitzeri, 126
zacatecanus, 130
Diplocentrus from western Mexico (Scorpiones, Diplocentridae), a new species of, W. David Sissom and Anne L. Walker, 126–131
Diploneis smithii, 151
Diplotaxis, 107
Dipodomys, 383
agilis, 5
compactus, 231–246
deserti, 5
elator, 5, 231–246
gidleyi, 238
gravipes, 5
hibbardi, 235, 238
insularis, 1–8
kansensis, 235, 238
margaritae, 1
merriami, 1–8, 231–246
microps, 5
minor, 238
nitratoides, 1–8
ordii, 5, 231–246, 382
pattersoni, 238
phillipsii, 5, 231, 382
spectabilis, 5, 231–246
Dipronomys magnus, 234
Dipsosaurus dorsalis, 284
Discoderus
impotens, 106
parallelus, 106
Distribution and status of the Devils River minnow, *Dionda diaboli*, Gary P. Garrett, Robert J. Edwards, and Andrew H. Price, 259–267
Distributional status of short-tailed shrews (genus *Blarina*) in Texas, George D. Baumgardner, Norman O. Dronen, and David J. Schmidly, 326–328
Dixidae, 170
Dodonea viscosa, 376
Dorosoma
cepedianum, 178, 180–184, 262–264
petenense, 262–264
Dronen, Norman O., see Baumgardner, George D., —
Dyschoriste decumbens, 51

Ebenaceae, 198
Eberle, Mark E., see Wenke, Thomas L., —

Ebinger, John E., and David S. Seigler, Ant-acacia hybrids of Mexico and Central America, 408–414
Echinacea angustifolia, 369
Echinocereus, 434
Echinochloa crusgalli, 206, 207
Ecologia alimenticia de la trucha arcoiris (*Oncorhynchus mykiss nelsoni*) del Arroyo San Rafael, Sierra San Pedro Mártir, Baja California, México, Gorgonio Ruiz-Campos y Patricia Cota-Serrano, 166–177
Ectinopus holomelas, 109, 111
Edwards, Robert J., see Garrett, Gary P., —
Eggs, larvae, and early juveniles of the bigscale logperch, *Percina macrolepida* Stevenson, from the west fork of the Trinity River basin, Texas, description of, Thomas P. Simon and Joseph B. Kaskey, 28–34
Eichholz, Michael W., and Walter D. Koenig, Gopher snake attraction to birds' nests, 293–298
Elanus
caeruleus, 396
leucurus, 395
Elaphe obsoleta, 296
Eleocharis, 206, 208, 369
macrostachya, 299, 400
Eleodes
goryi, 107, 111, 113
knausii, 107, 111
quadricollis, 107, 115
Elias, Scott A., and Thomas R. Van Devender, Insect fossil evidence of late Quaternary environments in the northern Chihuahuan Desert of Texas and New Mexico: comparisons with the paleobotanical record, 101–116
Elimia potosiensis, 317
Elmidae, 170
Embaphion planum, 108
Empidonax difficilis, 347
Endrotes rotundus, 107, 113
Environmental notes on the recently described crawfish, *Procambarus* (*Girardiella*) *kensleyi* Hobbs, J. F. Fitzpatrick, Jr. and Royal D. Suttkus, 328–330
Eodipodomys celtiservator, 234
Ephedra nevadensis, 114
Ephydridae, 268–273
Epiphytic diatoms on *Cladophora glomerata* in the Colorado River, Arizona: longitudinal and vertical distribution in a regulated river, G. G. Hardwick, D. W. Blinn, and H. D. Usher, 148–156
Epithemiaceae, 151
Equus, 54, 62
conversidens, 60, 61
tau, 60
Eragrostis
curvula, 74
intermedia, 49–52, 73
lehmanniana, 74
Eremophila alpestris, 73, 388, 398, 400
Erethizon dorsatum, 325
Erigeron divergens, 51, 52
Eritettix simplex, 364, 368
Ernsting, Guy W., see Wenke, Thomas L., —
Esox lucius, 358
Estimating the number of female *Ambystoma annulatum* (Caudata: Ambystomatidae) based on oviposition, Chris L. Peterson, Robert F. Wilkinson, Don Moll, and Tom Holder, 425–426
Etadonomys titheni, 238
Etchberger, Richard C., see Mazaika, Rosemary, —
Etheostoma
fonticola, 196
grahami, 180–185, 262–266
radiosum, 142, 143, 145
spectabile, 32, 33, 142, 143, 145
Eumops hansae, 428
Euphagus cyanocephalus, 297, 399, 400
Euphorbia
antisyphilitica, 275
corollata, 369
magdalenae, 282
Eurycea nana, 196
Eusattus, 108
Evolvulus, 51
Ezcurra, Exequiel, see Gallina, Sonia, and —

Fabaceae, 408–414
Falco
columbarius, 397
mexicanus, 395, 397
peregrinus, 188–193
sparverius, 388, 397
Feeding and foraging of *Callisaurus draconoides* (Sauria: Phrynosomatidae) in the intertidal zone of coastal Sonora, Adrián Quijada-Mascareñas, 311–314
Feeding ecology of an insular population of the black-tailed jackrabbit (*Lepus californicus*) in the Gulf of California, Donald B. Hoagland, 280–286
Felis
concolor, 324–326, 393
rufus, 393
Felley, James D., and Gwendolyn L. Daniels, Life history of the sailfin molly (*Poecilia latipinna*) in two degraded waterways of southwestern Louisiana, 16–21
Felley, James D., see Daniels, Gwendolyn L., and —
Fimbristylis puberula, 368, 369
Fitzpatrick, J. F., Jr. and Royal D. Suttkus, Environmental notes on the recently described crawfish, *Procambarus* (*Girardiella*) *kensleyi* Hobbs, 328–330
Floscularia, 339, 340
Flourencia cernua, 387
Food habits of black bears in Big Bend National Park, Susan F. McClinton, Philip L. McClinton, and Jim V. Richerson, 433–435
Food habits within the Laguna Chichancanab *Cyprinodon* (Pisces: Cyprinodontidae) species flock, Michael M. Stevenson, 337–343
Foquieria diguetii, 282
Forage availability for mountain sheep in Pusch Ridge Wilderness, Arizona, Rosemary Mazaika, Paul R. Krausman, and Richard C. Etchberger, 372–378
Forelius foetidus, 431, 432
Formica, 110
gnava, 432
schaufussi, 432
Formicidae, 110, 171, 434
Fouquieria splendens, 35–42, 115
Fragilaria
construens, 150
crotonensis, 149, 150
leptostauron, 150
vaucheriae, 150
Fragilariaceae, 150
Fraxinus quadrangulata, 369
Freshwater molluscs of selected playa lakes of the southern High Plains of Texas, Raymond W. Neck and Harold L. Schramm, Jr., 205–209
Frugivory on *Bursera microphylla* (Burseraceae) by wintering gray vireos (*Vireo vicinior*, Vireonidae) in the coastal deserts of Sonora, Mexico, John M. Bates, 252–258
Fulbright, Timothy E., Temperature effects on seed germination of *Cordia boissieri* A. DC. (Boraginaceae), 197–199
Fulica americana, 357, 358, 400
Fundulidae, 140
Fundulus
grandis, 180–184, 262–264
notatus, 142, 143
olivaceus, 146
zebrinus, 178, 180–184

Galindo, 422–424
Galindo-Leal, Carlos, Overestimation of deer densities in Michilia Biosphere Reserve, Durango, Mexico, 209–212
Gallina, Sonia, and Exequiel Ezcurra, Deer densities in La Michilia: a reply to Galindo, 422–424
Gallinago gallinago, 397
Gambusia, 337–339

affinis, 16, 17, 20, 21, 142, 157–165, 178, 180–184, 261–265
senilis, 262–264
Gannon, Michael R., and Michael R. Willig, Bat reproduction in the Luquillo Experimental Forest of Puerto Rico, 414–419
Garrett, Gary P., Robert J. Edwards, and Andrew H. Price, Distribution and status of the Devils River minnow, *Dionda diaboli*, 259–267
Garrison, Tom E., see Best, Troy L., —
Genetic differentiation between populations of Hutton's vireo (Aves: Vireonidae) in disjunct allopatry, Carla Cicero and Ned K. Johnson, 344–348
Genetic diversity, gene flow, and relictualism in *Claytonia lanceolata* var. *peirsonii*, a rare montane perennial from southern California, Orlando Mistretta and Aaron Liston, 223–230
Geococcyx californianus, 398
Geomys, 232
bursarius, 57, 61–63, 113
Germinacion de *Salicornia bigelovii* Torr. (Chenopodiaceae) bajo diferentes concentraciones de Agua Marina, Enrique Troyo-Diéguez and Aurora M. Breceda Solis-Cámara, 22–27
Gerrhonotus liocephalis, 426
Gila, 12
Girardiella, 328–330
Gleditsia triacanthos, 114
Glendinning, John I., Range extension for the diminutive woodrat, *Nelsonia neotomodon*, in the Mexican transvolcanic range, 92–93
Glinski, Richard L., see Brown, Bryan T., —
Glossophaga
morenoi, 441
soricina, 415, 420
Gold, John R., Yucheng Li, Matt C. Birkner, and John D. Jenkin, Chromosomal NOR karyotypes and genome sizes in *Dionda* (Osteichthyes: Cyprinidae) from Texas and New Mexico, 217–222
Gomphidae, 169, 170
Gomphonema
affine, 150, 152
olivaceum, 149, 150, 152, 153
parvulum, 150
subclavatum, 150
Gomphonemaceae, 150
Gonzalez-Espinosa, M., see Vargas-Mendoza, M. C., and —
Gopher snake attraction to birds' nests, Michael W. Eichholz and Walter D. Koenig, 293–298
Gossypium
harknesii, 283
harknessii, 282
Graptemys geographica, 317–318
Grimes, John V., see Dalquest, Walter W., —
Grus canadensis, 400
Guerrero V., Ramón O., see Medellín, Rodrigo A., —
Guiraca caerulea, 389
Gymnodidium brevis, 178
Gyraulus parvus, 206–208

Habitat heterogeneity and seed dispersal of *Opuntia streptacantha* (Cactaceae) in nopaleras of central Mexico, M. C. Vargas-Mendoza and M. Gonzalez-Espinosa, 379–385
Habitat preferences of a disjunct population of parthenogenetic *Cnemidophorus neomexicanus* (Sauria: Teiidae) in San Miguel Co., New Mexico, James M. Walker, Sr., James E. Cordes, and James M. Walker, Jr., 82–86
Hadrotettix trifasciatus, 364
Halfpenny, James, and Michael Heffernan, Nutrient input to an alpine tundra: an aeolian insect component, 247–251
Haliaeetus leucocephalus, 356–361, 404–408
Halodule wrightii, 65
Haplopappus tenuisectus, 73
Haplopapus laricifolius, 376
Hardwick, G. G., D. W. Blinn, and H. D. Usher, Epiphytic diatoms on *Cladophora glomerata* in the Colorado River, Arizona: longitudinal and vertical distribution in a regulated river, 148–156
Harpalus
fulgens, 106
herbivagus, 105, 106
Hayes, Floyd E., see Baker, William S., —
Hechtia scariosa, 275
Hedyotis nigricans, 368, 369
Heffernan, Michael, see Halfpenny, James, and —
Helicopsychidae, 171
Heliotropium tenellum, 368, 369
Hellumorphoides texanus, 106, 111, 114
Heloderma suspectum, 325
Heptageniidae, 170
Hesperotettix viridis, 364–367, 368, 370
Heteromyidae, 1–8, 231
Heterothops carbonatus, 105, 106, 113
Himantopus mexicanus, 400
Hirundo
pyrrhonota, 388, 398, 400
rustica, 388, 400
Hister, 107
Histeridae, 107
Hoagland, Donald B., Feeding ecology of an insular population of the black-tailed jackrabbit (*Lepus californicus*) in the Gulf of California, 280–286
Hoffman, Stephen W., see Brown, Bryan T., —
Hoffmann, Robert S., see Long, Charles A., and —
Hohman, William L., C. Davison Ankney, and Douglas L. Roster, Body condition, food habits, and molt status of late-wintering ruddy ducks in California, 268–273
Holder, Tom, see Peterson, Chris L., —
Holland, Dan, see Rathbun, Galen B., —
Home range of breeding common ravens in coastal southern California, George M. Linz, C. Edward Knittle, and Richard E. Johnson, 199–202
Horne, Francis R., Thomas L. Arsuffi, and Raymond W. Neck, Recent introduction and potential botanical impact of the giant rams-horn snail, *Marisa cornuarietis* (Pilidae), in the Comal Springs ecosystem of central Texas, 194–196
Hubbs, Clark, see Rhodes, Kevin, and —
Hybognathus amarus, 186
Hybopsis aestivalis, 180–184, 186
Hydrophilidae, 170
Hydropsychidae, 166, 168, 169, 171–173, 175, 176
Hydroptilidae, 166, 168, 169, 171–173, 175, 176
Hylastes, 109, 114
Hyperaspis trifurcata, 108, 113, 115
Hypolithus, 106

Ichneumonidae, 171
Ictaluridae, 140
Ictalurus, 12, 13
furcatus, 262–264
lupus, 262–264
melas, 17, 262–264
natalis, 262–264
punctatus, 140, 142, 143, 180–184, 262–265, 358
Icterus
galbula, 297
parisorum, 389, 390
Ictiobus bubalus, 262–264
Idionycteris phyllotis, 429–430
Iguanidae, 349–355
Ilex vomitoria, 327
Impact of mainstream impoundment on the distribution and movements of the resident flannelmouth sucker (Catostomidae: *Catostomus latipinnis*) population in the White River, Colorado, Thomas E. Chart and Eric P. Bergersen, 9–15
Inefficient nitrogen resorption in a population of ocotillo (*Fouquieria splen-*

dens), a drought-deciduous desert shrub, Keith T. Killingbeck, 35–42
Insect fossil evidence of late Quaternary environments in the northern Chihuahuan Desert of Texas and New Mexico: comparisons with the paleobotanical record, Scott A. Elias and Thomas R. Van Devender, 101–116
Introduction and potential botanical impact of the giant rams-horn snail, *Marisa cornuarietis* (Pilidae), in the Comal Springs ecosystem of central Texas, recent, Francis R. Horne, Thomas L. Arsuffi, and Raymond W. Neck, 194–196
Ischnuridae, 131
Isotria medeoloides, 302
Ixodidae, 110

Jacquemontia abutiloides, 282
Janecek, Laura L., see Best, Troy L., and —
Janecek, Laura L., The Southwestern Association of Naturalists minutes of the meeting of the Annual Business Meeting, Texas Tech University Center at Junction, Junction, Texas, Friday, 10 April 1992, 440–442
Janecek, Laura L., The Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers, Texas Tech University Center at Junction, Junction, Texas, Thursday, 9 April 1992, 436–439
Jatropha cuneata, 281–284
Jenkin, John D., see Gold, John R., —
Johnson, Ned K., see Cicero, Carla, and —
Johnson, Richard E., see Linz, George M., —
Juncaceae, 55
Junco
  hyemalis, 399
  phaeonatus, 389
Juncus, 55, 368, 369
  balticus, 299
Juniperus, 213, 357, 386, 388, 434
  monosperma, 387
  osteosperma, 188
  virginiana, 327, 369
Jusino-Atresino, Rafael, and Sherman A. Phillips, Jr., New ant records for Taylor Co., Texas, 430–433
Justicia americana, 317

Kalotermitidae, 110
Kaskey, Joseph B., see Simon, Thomas P., and —
Kasper, Stephen, Mammals from the late Pleistocene Carrol Creek local fauna, Donley Co., Texas, 54–64
Keratella, 339
Killingbeck, Keith T., Inefficient nitrogen resorption in a population of ocotillo (*Fouquieria splendens*), a drought-deciduous desert shrub, 35–42
Knight, Jeremy G., see Stewart, Bruce G., —
Knight, Richard L., see Kralovec, Mary L., —
Knittle, C. Edward, see Linz, George M., —
Koenig, Walter D., see Eichholz, Michael W., and —
Kralovec, Mary L., Richard L. Knight, Gerald R. Craig, and Robert G. McLean, Nesting productivity, food habits, and nest sites of bald eagles in Colorado and southeastern Wyoming, 356–361
Krameria, 387
Krausman, Paul R., see Cashman, Jenny L., —
Krausman, Paul R., see Mazaika, Rosemary, —

Labiatae, 92
Labidesthes sicculus, 146
Lacandoniaceae, 427
Lampropeltis getulus, 293
Lampropeltus triangulum, 426
Lanius ludovicianus, 389
Larrea, 386, 388, 390
  divarica, 114
  divaricata, 114
  tridentata, 35, 40, 281–284, 387
Larus
  argentatus, 395, 397
  californicus, 400
  delawarensis, 400
  philadelphia, 395, 397
  pipixcan, 358
Lasconotus, 108
Lathrop, Earl W., see Baker, William S., —
Lazcano, David, see Rodriguez, Maria Luisa, y —
Lazcano-Barrero, Marco A., First record of *Bolitoglossa mulleri* (Caudata: Plethodontidae) from Mexico, 315–316
Lebia lecontei, 106, 111
Lemairocereus thurberi, 282
Lepisosteus
  oculatus, 262–264
  osseus, 183, 186, 262–264
Lepomis, 145, 146, 358
  auritus, 180–184, 262–265
  cyanellus, 140, 142, 143, 180–184, 262–264
  gulosus, 163, 262–264
  humilis, 142
  macrochirus, 140, 142, 143, 180–184, 262–266
  megalotis, 142, 180–184, 262–265
  microlophus, 142, 262–264
Leptodiridae, 105, 106, 111, 114
Leptogenys elongata, 431, 432
Leptophlebiidae, 168, 169, 170, 171, 173
Leptothorax pergandei, 431, 432
Lepus
  alleni, 56
  americana, 56
  americanus, 358
  californicus, 56, 57, 61, 62, 280–286, 358
  townsendi, 56
  townsendii, 358
Lestidae, 170
Leucophyllum frutescens, 275
Li, Yucheng, see Gold, John R., —
Liasis childreni, 426
Liatris
  cylindracea, 369
  pycnostachya, 368, 369
Libellulidae, 170
Licania platypus, 427
Life history and foods of *Gambusia affinis* in two waterways of southwestern Louisiana, Gwendolyn L. Daniels and James D. Felley, 157–165
Life history of the sailfin molly (*Poecilia latipinna*) in two degraded waterways of southwestern Louisiana, James D. Felley and Gwendolyn L. Daniels, 16–21
Limnephilidae, 171
Limnodromus scolopaceus, 87, 388, 397
Limosa haemastica, 87
Linum sulcatum, 369
Linz, George M., C. Edward Knittle, and Richard E. Johnson, Home range of breeding common ravens in coastal southern California, 199–202
Liolaemus, 353
Liomys irroratus, 382, 383
Liston, Aaron, see Mistretta, Orlando, and —
Long, Charles A., and Robert S. Hoffmann, *Sorex preblei* from the Black Canyon, first record for Colorado, 318–319
Longitudinal distribution and assemblages of fishes of Byrd's Mill Creek, a southern Oklahoma Arbuckle Mountain stream, Bruce G. Stewart, Jeremy G. Knight, and Robert C. Cashner, 138–147
Lophocereus schottii, 282, 283
Lophodytes cucullatus, 400
Loxstege cerareoles, 247, 248
Lucania parva, 178, 180–185
Ludwigia repens, 196
Lutra canadensis, 61
Luxilus, 220
Lycium, 253
Lycosa
  lugubris, 132

rabida, 136
santrita, 132, 136
Lycosidae, 132–137
Lycurus phleoides, 49–51, 73
Lyngbya, 339–342
Lynx rufus, 325
Lythrurus, 219
umbratilis, 142, 143

Machaerocereus gummosus, 281–284
Macronyssidae, 426
Macrotus waterhousii, 429
Malusa, James, Xylem pressure potentials of single- and double-needled pinyon pines, 43–48
Malva, 114
Malvastrum bicuspidatum, 51, 52
Mammailaria, 282
Mammalia, 420–421
Mammals from Mexico, noteworthy records of three, Rodrigo A. Medellín, Guadalupe Cancino Z., Apamar Clemente M., and Ramón O. Guerrero V., 427–429
Mammals from the late Pleistocene Carrol Creek local fauna, Donley Co., Texas, Stephen Kasper, 54–64
Mammuthus columbi, 54, 60–62
Mandilkara bidentata, 417
Marisa cornuarietis, 194–196
Masticophis flagellum, 313
Mastogloia smithii, 151
Mazaika, Rosemary, Paul R. Krausman, and Richard C. Etchberger, Forage availability for mountain sheep in Pusch Ridge Wilderness, Arizona, 372–378
McClaran, Mitchel P., and Peter C. Sundt, Population dynamics of the rare orchid, *Spiranthes delitescens*, 299–303
McClinton, Philip L., see McClinton, Susan F., —
McClinton, Susan F., Philip L. McClinton, and Jim V. Richerson, Food habits of black bears in Big Bend National Park, 433–435
McDiarmid, Roy W., Systematic status of the San Luis Potosí black-headed snake, *Tantilla deviatrix* Barbour (Colubridae), 303–307
McLean, Robert G., see Kralovec, Mary L., —
Medellín, Rodrigo A., Guadalupe Cancino Z., Apamar Clemente M., and Ramón O. Guerrero V., Noteworthy records of three mammals from Mexico, 427–429
Medicago sativa, 270
Melanerpes
aurifrons, 388
formicivorus, 296
uropygialis, 254
Melanoplus
angustipennis, 364
bivittatus, 364–366, 368
confusus, 364–366, 368
femurrubrum, 364
keeleri, 363–366, 368, 370
ponderosus, 364–366
sanguinipes, 364
Melosira varians, 150
Melospiza lincolnii, 389
Méndez-de la Cruz, Fausto R., Gustavo Casas-Andreu, y Maricela Villagran-Santa Cruz, Variacion anual en la alimentacion y condicion fisica de *Sceloporus mucronatus* (Sauria: Iguanidae) en la Sierra del Ajusco, Distrito Federal, Mexico, 349–355
Menidia beryllina, 16, 180–184, 262–265
Mephitis, 325
macroura, 428
mephitis, 61, 323, 393
Mermiria bivittata, 363–365, 368
Metachirus nudicaudatus, 427, 428
Mexican big-eared bat *Idionycteris phyllotis* (Vespertilionidae) in the state of Oaxaca, México, first record of the, Carlos Bonilla, Emma Cisneros, and Victor Sánchez-Cordero, 429–430
Micropterus
dolomieu, 262–264
punctulatus, 142, 143
salmoides, 140, 142, 143, 163, 180–184, 262–266, 358
Microtus
mexicanus, 92
ochrogaster, 59, 61, 62
pennsylvanicus, 54, 58, 59, 61–63
Mills, G. Scott, see Brown, Bryan T., —
Mimosa, 50
biuncifera, 49, 52, 53, 380
dysocarpa, 49, 52, 53
Mimosestes nubigens, 108, 111, 113, 114
Mimus polyglottos, 254, 389
Minytrema melanops, 146
Mistretta, Orlando, and Aaron Liston, Genetic diversity, gene flow, and relictualism in *Claytonia lanceolata* var. *peirsonii*, a rare montane perennial from southern California, 223–230
Mitchell, Christine A., Thomas W. Custer, and Phillip J. Zwank, Redhead duck behavior on lower Laguna Madre and adjacent ponds of southern Texas, 65–72
Moll, Don, see Peterson, Chris L., —
Moll, Don, see White, Don, Jr., and —
Monomorium minimum, 431, 432
Monophyllus redmani, 415–418
Moring, J. Bruce, and Kenneth W. Stewart, Influence of sex and egg-case presence on predatory behavior of the wolf spider *Pardosa valens* Barnes (Araneae: Lycosidae), 132–137
Moromorpha, 109
Morrison, Joan L., Persistence of the meadow jumping mouse, *Zapus hudsonius luteus*, in New Mexico, 308–311
Moxostoma
congestum, 180–184, 262–265
erythrurum, 142, 143, 145, 146
Mugil cephalus, 17
Mustela frenata, 393
Mutillidae, 110
Mycetophagidae, 108
Myiarchus
cinerascens, 254
tyrannulus, 388, 390
Myrica asplenifolia, 39

Najas guadalupensis, 206, 208
Naucoridae, 170, 176
Navicula
arvensis, 151
confervacea, 151
cryptocephala, 151
cuspidata, 151
decussis, 151
exigua, 151
miniscula, 151
mutica, 151
pseudoreinhardtii, 151
pupula, 151
radiosa, 151
tripunctata, 151
zanoi, 151
Naviculaceae, 150
Neck, Raymond W., and Harold L. Schramm, Jr., Freshwater molluscs of selected playa lakes of the southern High Plains of Texas, 205–209
Neck, Raymond W., see Horne, Francis R., —
Neill, Robert L., Recent trends in shorebird migration for north-central Texas, 87–88
Nelsonia neotomodon, 92–93
Neofiber
alleni, 59, 60, 62
leonardi, 54, 59–63
Neotoma, 61, 62, 101–116, 380
albigula, 58, 103
floridana, 58
goldmani, 381
lepida, 281, 284
micropus, 58
Nesting behavior and movements of western pond turtles, *Clemmys marmorata*, Galen B. Rathbun, Nancy Siepel, and Dan Holland, 319–324
Nesting productivity, food habits, and nest sites of bald eagles in Colorado and southeastern Wyoming, Mary L. Kralovec, Richard L. Knight, Gerald R. Craig, and Robert G. McLean, 356–361
Niptus ventriculus, 107
Nitidulidae, 108

Nitzschia
amphibia, 151
bicrena, 151
capitellata, 151
denticula, 151
dissipata, 149, 151, 153
fonticola, 151
frustulum, 151
gracilis, 151
hungarica, 151
kutzingiana, 151
linearis, 151
palea, 151
romana, 151
Nitzschiaceae, 151
Norris, Steven M., see Taylor, Christopher M., and —
Notemigonus crysoleucas, 142
Noteridae, 170
Nothoscordum bivalve, 369
Notiosorex crawfordi, 61
Notophthalmus viridescens, 425
Notropis, 220
amabilis, 180–185, 262–266
boops, 142, 143
braytoni, 180–184, 262–264
hubbsi, 89–92
jemezanus, 180–184, 186, 262–264
ludibundus, 142, 143
rubellus, 142
stramineus, 262–265
Noturus
flavus, 332
nocturnus, 142
placidus, 330–333
Numenius
americanus, 388, 389
phaeopus, 400
Núñez G., Arturo, see Sánchez H., Cornelio, —
Nutrient input to an alpine tundra: an aeolian insect component, James Halfpenny and Michael Heffernan, 247–251

Odocoileus, 434
hemionus, 211, 325, 358, 375
virginianus, 197, 209, 375, 422–424
Oenotheria missouriensis, 369
Oligoneuriidae, 170
Olneya tesota, 284
Oncorhynchus
apache, 118
clarki, 117
gilae, 117–125
mykiss, 117, 120, 122, 123, 146, 166–177, 404
nerka, 407
Ondatra zibethicus, 358
Onthophagus
brevifrons, 107
browni, 107
cochisus, 107
lecontei, 107, 111, 113
subopacus, 107, 115
Onychomys leucogaster, 61
Opephora anasata, 150
Ophionyssus natricis, 426
Ophionyssus natricis (Acarina: Macronyssidae) para México, primer reporte de ácaro, Maria Luisa Rodriguez y David Lazcano, 426
Ophryastes
argentatus, 108, 114
tuberosus, 109, 114
varius, 109, 113, 114
Ophrys sphegodes, 302
Opuntia, 434
cholla, 281–284
imbricata, 387
leptocaulis, 387
phaeacantha, 275
rastrera, 387
robusta, 380
streptacantha, 379–385
tunicata, 387
Orconectes palmeri, 329
Oregonomys, 234, 241
Oreoscoptes montanus, 386
Ornithonyssus bacoti, 426
Orphulella
pelidna, 364, 365, 368
speciosa, 364
Orthoperus ornatus, 110
Orthoptera, 362–371
Oscillatoria, 341
Oso hormiguero *Tamandua mexicana* en la costa del estado de Michoacán, el, Cornelio Sánchez H., Ma. de Lourdes Romero A., y Arturo Núñez G., 88–89
Osteichthyes, 217–222
Overestimation of deer densities in Michilia Biosphere Reserve, Durango, Mexico, Carlos Galindo-Leal, 209–212
Ovis
aries, 358
canadensis, 325, 372–378
Oxyura
jamaicensis, 268–273, 396
maccoa, 272

Pachybrachis mitis, 108
Pachycereus, 283
pringelei, 282
pringlei, 282
Palaemonetes kadiakensis, 329
Pandion haliaetus, 395, 396
Pangaeus
bilineatus, 109
congruus, 109, 111
Panicum, 369
Pantomorus, 115
elegans, 109, 113, 114
Paratrechina terricola, 432
Paratylotropidia brunneri, 364–366, 368, 370
Pardalophora
apiculata, 364
phoenicoptera, 364, 366, 368, 370
saussurei, 364
Pardosa
amentata, 132, 135
distincta, 132–135
valens, 132–137
Parus sclateri, 388, 389
Passer domesticus, 389, 390
Passerculus sandwichensis, 73, 399, 400
Pediculidae, 109
Pedilanthus macrocarpus, 282
Peirce, Matthew, see Cashman, Jenny L., —
Pentatomidae, 109
Perca flavescens, 33
Percina
burtoni, 28
caprodes, 28, 32, 33
carbonaria, 28, 32, 33
jenkinsi, 28
macrolepida, 28–34
rex, 28
sciera, 142
Peridinium, 339
Perlodidae, 168–170, 173
Perognathus
flavescens, 58
flavus, 58, 61
Peromyscus
aztecus, 92
eremicus, 281
maniculatus, 61
melanotis, 92
Persistence of the meadow jumping mouse, *Zapus hudsonius luteus*, in New Mexico, Joan L. Morrison, 308–311
Petalostemum purpureum, 369
Peterson, Chris L., Robert F. Wilkinson, Don Moll, and Tom Holder, Estimating the number of female *Ambystoma annulatum* (Caudata: Ambystomatidae) based on oviposition, 425–426
Peucedramus taeniatus, 386, 389
Phainopepla nitens, 252, 389, 390
Phalacrocorax auritus, 395, 396
Phalaenoptilus nuttallii, 388
Phalaropus tricolor, 87
Pheidole, 110
dentata, 431, 432
lamia, 431, 432
metallescens, 431, 432
Phenacobius mirabilis, 142
Philander opossum, 427, 428
Phillips, Sherman A., Jr., see Jusino-Atresino, Rafael, and —
Philopotamidae, 171
Phoradendron californicum, 252, 253
Phoxinus erythrogaster, 142, 145, 146
Phrynosoma platyrhinos, 349
Phrynosomatidae, 311–314
Phyllophaga, 107

Phyllostomidae, 420
Physella virgata, 206–208
Picea engelmannii, 356
Picoides
borealis, 296
scalaris, 388
villosus, 388
Pilidae, 194–196
Pimephales, 219
promelas, 142, 180–184
vigilax, 142, 180–184, 262–265
Pinaceae, 92
Pinacodera platicollis, 106, 111
Pinus, 386, 388, 434
californiarum, 43–48
discolor, 43, 44
edulis, 43–48, 188, 213, 357
engelmanii, 43
monophylla, 43, 44, 47
ponderosa, 43, 188, 356, 387
taeda, 327
Piper, 428
Pipilo
crissalis, 297, 399, 400
fuscus, 389
Pipra coronata, 346
Piscatopus, 115
griseus, 109, 113, 114
Pisces, 337–343
Pithecellobium flexicaule, 95
Pituophis, 296
catenifer, 293
melanoleucus, 293
Pitymys, 59
Planorbella trivolvis, 206–208
Plantago purshii, 51
Platanus occidentalis, 317
Platygonus compressus, 61
Plethodontidae, 315–316
Pluvialis
dominica, 87
squatarola, 87, 400
Poa pratensis, 299
Podiceps nigricollis, 400
Podilymbus podiceps, 400
Poecilia latipinna, 16–21, 262–264
Poeciliidae, 140
Pogonomyrmex barbatus, 380, 383, 431, 432
Poliptila caerulea, 389
Polygonum, 206–208
Pomacea, 194
Pomoxis, 358
annularis, 142, 163, 262–264
nigromaculatus, 142
Pooecetes gramineus, 73, 389
Population dynamics of the rare orchid, *Spiranthes delitescens*, Mitchel P. McClaran and Peter C. Sundt, 299–303
Populus, 356
Portulacaceae, 223
Potamogeton
diversifolius, 206, 208
pectinatus, 206
Prenolepis imparis, 432
Prestoea montana, 417
Price, Andrew H., see Garrett, Gary P., —
Procambarus
clarkii, 329
dupratzi, 329
kensleyi, 328–330
zonangulus, 329
Procyon lotor, 323, 325, 393
Prodipodomys, 231, 236, 237, 241, 244, 245
centralis, 238
griggsorum, 238
hibbardi, 238
idahoensis, 238
mascallensis, 234, 235
minor, 234, 238, 239
rexroadensis, 238
tiheni, 232, 235
Progne subis, 386, 388, 389
Propst, David L., Jerome A. Stefferud, and Paul R. Turner, Conservation and status of Gila trout, *Oncorhynchus gilae*, 117–125
Prosopis
glandulosa, 73, 95, 213, 288, 430
juliflora, 114, 282, 283, 376
Prymnesium parvum, 178–187
Psaltriparus minimus, 388, 389, 400, 401
Psephenidae, 170
Pseudomyrmex, 408
Pseudopomala brachyptera, 364
Pseudotsuga menziesii, 188
Psychodidae, 170
Psychomyiidae, 171
Ptinidae, 107
Ptinus, 107
Ptychocheilus lucius, 9
Ptychodiscus breve, 178
Purshia, 114
Pycanthemum albescens, 369
Pygophorus, 339
Pylodictis olivaris, 180–184, 262–264
Pyralidae, 247, 248
Pyrhhalta, 108

Quedius, 106
Quercus, 213, 317, 372, 434
agrifolia, 293
douglasii, 293
gambellii, 318
havardii, 288
lobata, 293
marilandica, 327, 369
muhlenbergii, 369
oblongifolia, 376
stellata, 327
velutina, 369
virginiana, 204
Quijada-Mascareñas, Adrián, Feeding and foraging of *Callisaurus draconoides* (Sauria: Phrynosomatidae) in the intertidal zone of coastal Sonora, 311–314
Quiscalus mexicanus, 94, 389

Ranunculus macranthus, 299
Rappole, John H., see Swanson, David A., and —
Rathbun, Galen B., Nancy Siepel, and Dan Holland, Nesting behavior and movements of western pond turtles, *Clemmys marmorata*, 319–324
Recent trends in shorebird migration for north-central Texas, Robert L. Neill, 87–88
Recovery of Pecos River fishes from a red tide fish kill, Kevin Rhodes and Clark Hubbs, 178–187
Recurvirostra americana, 397
Redhead duck behavior on lower Laguna Madre and adjacent ponds of southern Texas, Christine A. Mitchell, Thomas W. Custer, and Phillip J. Zwank, 65–72
Regulus calendula, 388
Reithrodontomys
fulvescens, 58, 61, 62, 213
megalotis, 58
montanus, 58
sumichrasti, 92
Reproductive cycle of *Notropis hubbsi* (bluehead shiner) in southeastern Oklahoma, notes on the, Christopher M. Taylor and Steven M. Norris, 89–92
Response of birds to wildfire in native versus exotic Arizona grassland, Carl E. Bock and Jane H. Bock, 73–81
Restricted diet of the common map turtle *Graptemys geographica* in a Missouri stream, Don White, Jr. and Don Moll, 317–318
Rhadine, 106, 113
Rhinichthys osculus, 122
Rhodes, Kevin, and Clark Hubbs, Recovery of Pecos River fishes from a red tide fish kill, 178–187
Rhodostethia rosea, 400
Rhoicosphenia curvata, 148–150, 152–154
Rhopalodia gibberula, 151
Rhus microphylla, 387
Rhyacophilidae, 171
Richerson, Jim V., see McClinton, Susan F., —
Ringtail (*Bassariscus astutus*) in Oklahoma, occurrence of the, Jack D. Tyler and Wesley D. Webb, 202–205
Riparia riparia, 400
Rodentia, 1–8
Rodriguez, Maria Luisa, y David Lazcano, Primer reporte de ácaro *Ophionyssus natricis* (Acarina: Macronyssidae) para México, 426

Romero A., Ma. de Lourdes, see Sánchez H., Cornelio, —
Rosaceae, 92
Roster, Douglas L., see Hohman, William L., —
Rudbeckia missouriensis, 367–370
Ruiz-Campos, Gorgonio, y Patricia Cota-Serrano, Ecologia alimenticia de la trucha arcoiris (*Oncorhynchus mykiss nelsoni*) del Arroyo San Rafael, Sierra San Pedro Mártir, Baja California, México, 166–177
Rumex hymenosepalus, 114
Ruppia occidentalis, 270, 271

Sagittaria, 206, 208
Salasphorus pla'ycercus, 388
Salicornia
bigelovii, 22–27
europaea, 22, 23
pacifica, 23
Salix, 356
exigua, 188
Salmo
gairdneri, 166, 357, 358
trutta, 120–122
Salpinctes obsoletus, 388, 398, 400
Salpingidae, 108
Salvia
ballotaeflora, 387
cardinalis, 92
Sánchez H., Cornelio, Ma. de Lourdes Romero A., y Arturo Núñez G., El oso hormiguero *Tamandua mexicana* en la costa del estado de Michoacán, 88–89
Sánchez-Cordero, Victor, see Bonilla, Carlos, —
Sapotes, 115
longipillis, 108, 113
puncticolis, 108
puncticollis, 113
Satureja macrostema, 92
Sauria, 349–355, 82–86, 311–314
Sauromalus
obesus, 325
slevini, 284
Sayornis
nigricans, 388, 390, 398
saya, 388, 398
Scalopus aquaticus, 56, 61–63
Scarabaeidae, 107, 111, 115
Sceloporus
grammicus, 354
jarrovi, 353
magister, 349, 353
mucronatus, 349–355
poinsetti, 349, 353
torquatus, 349, 353, 354
Schizachyrum
scoparium, 368
scoparius, 369
Schizocosa crassipes, 132
Schmidly, David J., see Baumgardner, George D., —
Schmitt, C. Gregory, see Best, Troy L., —
Schramm, Harold L., Jr., see Neck, Raymond W., and —
Schrankia uncinata, 369
Scirpus, 206–208
Sciurus niger, 204
Scolytidae, 109, 114
Scorpiones, 126–131
Scorpionidae, 131
Seigler, David S., see Ebinger, John E., and —
Selaginella
densa, 278
lepidophylla, 274–279
Selaginellaceae, 274
Selenophorus
gagatinus, 105, 106
palliatus, 106
Senecio, 92
longilobus, 51
Serica, 107
Sericostomatidae, 166, 168, 169, 171–173, 175, 176
Sex and egg-case presence on predatory behavior of the wolf spider *Pardosa valens* Barnes (Araneae: Lycosidae), influence of, J. Bruce Moring and Kenneth W. Stewart, 132–137
Shafferia, 387
Short-term reductions in plant densities following prescribed fire in an ungrazed semidesert shrub-grassland, Jane H. Bock and Carl E. Bock, 49–53
Sialia
currucoides, 398
mexicana, 293, 389, 398
sialis, 296
Siepel, Nancy, see Rathbun, Galen B., —
Sigmodon
fulviventer, 213–214
hispidus, 213, 214
ochrognathus, 214
Sigmodon fulviventer in Texas: natural history and cytogenetic observations, first record of, Frederick B. Stangl, Jr., 213–214
Silphium
laciniatum, 369
terebinthinaceum, 369
Simmondsia, 376
Simon, Thomas P., and Joseph B. Kaskey, Description of eggs, larvae, and early juveniles of the bigscale logperch, *Percina macrolepida* Stevenson, from the west fork of the Trinity River basin, Texas, 28–34
Simondsia chinensis, 282
Simuliidae, 166, 168–173, 175, 176
Sissom, W. David, and Anne L. Walker, A new species of *Diplocentrus* from western Mexico (Scorpiones, Diplocentridae), 126–131
Sitta carolinensis, 388
Smilax bona-nox, 369
Solanum
hindsianum, 282
tuberosum, 386
Solenopsis molesta, 431, 432
Solidago, 369
missouriensis, 367, 368, 370
Sorex
arcticus, 54, 56, 61–63
cinereus, 61, 62, 318, 319
haydeni, 319
nanus, 318
palustris, 56, 61
preblei, 318–319
saussurei, 92
vagrans, 318
Sorex preblei from the Black Canyon, first record for Colorado, Charles A. Long and Robert S. Hoffmann, 318 319
Sorghastrum nutans, 368, 369
Sorghum halepense, 207
Southwestern Association of Naturalists minutes of the meeting of the Board of Governors and Officers, Texas Tech University Center at Junction, Junction, Texas, Thursday, 9 April 1992, the, Laura L. Janecek, 436–439
Southwestern Association of Naturalists minutes of the meeting of the Annual Business Meeting, Texas Tech University Center at Junction, Junction, Texas, Friday, 10 April 1992, the, Laura L. Janecek, 440–442
Spermophilis lateralis, 358
Spermophilus
beecheyi, 293
franklinii, 61
richardsonii, 61
spilosoma, 57, 113
tridecemlineatus, 57, 61–63, 113
Sphaeralcea angustifolia, 114
Sphaerium striatinum, 206–208
Spharagemon
bolli, 364
equale, 364–366, 368, 370
Spilogale, 325
Spiranthes
aestivalis, 300
cinnabarina, 302
delitescens, 299–303
graminea, 299
michuacana, 302
spiralis, 300–302
Spirostreptidae, 110
Spiza americana, 389, 390
Spizella
atrogularis, 389
pallida, 389

passerina, 389
Sporobolus
clandestinus, 369
heterolepsis, 368, 369
neglectus, 367–370
wrightii, 78
Stagnicola cockerelli, 206–208
Stangl, Frederick B., Jr., First record of *Sigmodon fulviventer* in Texas: natural history and cytogenetic observations, 213–214
Stangl, Frederick B., Jr., see Dalquest, Walter W., —
Staphylinidae, 105, 106
Stark, William J., see Wenke, Thomas L., —
Stefferud, Jerome A., see Propst, David L., —
Stelgidopteryx serripennis, 400
Stenocereus, 429
Stenoderma rufum, 415–418
Sterna antillarum, 199
Stevens, Lawrence E., see Brown, Bryan T., and —
Stevenson, Michael M., Food habits within the Laguna Chichancanab *Cyprinodon* (Pisces: Cyprinodontidae) species flock, 337–343
Stevia monardaefolia, 92
Stewart, Bruce G., Jeremy G. Knight, and Robert C. Cashner, Longitudinal distribution and assemblages of fishes of Byrd's Mill Creek, a southern Oklahoma Arbuckle Mountain stream, 138–147
Stewart, Kenneth W., see Moring, J. Bruce, and —
Stizostedion vitreum, 28, 33
Stratiomyidae, 171, 173
Streptopelia risoria, 291
Strix occidentalis, 344
Sturnella
magna, 73
neglecta, 389, 399, 400
Sturnus vulgaris, 297, 399
Sundt, Peter C., see McClaran, Mitchel P., and —
Suttkus, Royal D., see Fitzpatrick, J. F., Jr., and —
Swanson, David A., and John H. Rappole, Status of the white-winged dove in southern Texas, 93–97
Sylvilagus, 61, 62, 358
audubonii, 56, 57
floridanus, 56, 57
Symphoricarpos orbiculatus, 369
Symplocarpus, 111, 114
Synaptomys
australis, 54, 59–63
cooperi, 60, 62
Syncalypta grisea, 107
Synedra
acus, 150
incisa, 150
ulna, 150
Synuchus impunctatus, 105, 106
Syrbula admirabilis, 364, 365, 368
Systematic status of the San Luis Potosí black-headed snake, *Tantilla deviatrix* Barbour (Colubridae), Roy W. McDiarmid, 303–307

Tabanidae, 171
Tachycineta
bicolor, 388, 389, 398, 400
thalassina, 388
Talauma mexicana, 427
Tamandua mexicana, 88–89
Tamarisk chinensis, 188
Tamias quadrivittatus, 61
Tantilla
bocourti, 303–307
coronata, 303–305
deviatrix, 303–307
rubra, 304–307
wilcoxi, 303–307
Taxidea taxus, 61, 325
Tayassu tajacu, 325, 434
Taylor, Christopher M., and Steven M. Norris, Notes on the reproductive cycle of *Notropis hubbsi* (bluehead shiner) in southeastern Oklahoma, 89–92
Teiidae, 82–86
Temperature effects on seed germination of *Cordia boissieri* A. DC. (Boraginaceae), Timothy E. Fulbright, 197–199
Tenebrionidae, 107, 111
Tettigoniidae, 170
Thomomys, 232
bottae, 61, 62
Thryomanes bewickii, 388, 401
Thryothorus ludovicianus, 388
Tilapia, 343
aurea, 262–266
Tipulidae, 170
Toxostoma
curvirostre, 255, 386, 389
rediviyum, 401
Trachyrhachis kiowa, 364, 365, 367, 368, 370
Tradescantia, 369
Tragia urticifolia, 369
Tribolium, 108
Trichogrammatidae, 171
Tridactylidae, 169, 170
Trimerotropis saxatilis, 363–368, 370
Trimytis pruinosa, 107
Tringa
flavipes, 87, 400
melanoleuca, 87, 397
solitaria, 87
Triorophus politus, 107
Troyo-Diéguez, Enrique, and Aurora M. Breceda Solis-Cámara, Germinacion de *Salicornia bigelovii* Torr. (Chenopodiaceae) bajo diferentes concentraciones de Agua Marina, 22–27
Tryngites subruficollis, 87
Turdus migratorius, 389
Turner, Paul R., see Propst, David L., —
Tyler, Jack D., and Wesley D. Webb, Occurrence of the ringtail (*Bassariscus astutus*) in Oklahoma, 202–205
Typha, 206
Typhaea stercorea, 108
Tyrannus vociferans, 388, 389

Ulmus
alata, 369
americana, 317
Urocyon cinereoargenteus, 393
Ursus americanus, 433–435
Usher, H. D., see Hardwick, G. G., —
Uta stansburiana, 312–314

Vallisneria americana, 196
Vampyrops lineatus, 415
Van Auken, O. W., and J. K. Bush, Factors influencing the density and distribution of *Selaginella lepidophylla* in the Black Gap area of the Chihuahuan Desert of western Texas, 274–279
Van Devender, Thomas R., see Elias, Scott A., and —
Vargas-Mendoza, M. C., and M. Gonzalez-Espinosa, Habitat heterogeneity and seed dispersal of *Opuntia streptacantha* (Cactaceae) in nopaleras of central Mexico, 379–385
Variacion anual en la alimentacion y condicion fisica de *Sceloporus mucronatus* (Sauria: Iguanidae) en la Sierra del Ajusco, Distrito Federal, Mexico, Fausto R. Méndez-de la Cruz, Gustavo Casas-Andreu, y Maricela Villagran-Santa Cruz, 349–355
Vatairea lundelli, 427
Vauquelinia californica, 376
Veliidae, 170
Verbesina encelioides, 113, 114
Vespertilionidae, 420, 429–430
Vespidae, 434
Viguiera greggi, 387
Villagran-Santa Cruz, Maricela, see Méndez-de la Cruz, Fausto R., —
Vireo
carmioli, 344–346
griseus, 255
huttoni, 344–348, 386, 389
vicinior, 252–258
Vireonidae, 252–258, 344–348, 386
Vulpes velox, 61

Walker, Anne L., see Sissom, W. David, and —
Walker, James M., Jr., see Walker, James M., Sr., —

Walker, James M., Sr., James E. Cordes, and James M. Walker, Jr., Habitat preferences of a disjunct population of parthenogenetic *Cnemidophorus neomexicanus* (Sauria: Teiidae) in San Miguel Co., New Mexico, 82–86

Webb, Wesley D., see Tyler, Jack D., and —

Wenke, Thomas L., Mark E. Eberle, Guy W. Ernsting, and William J. Stark, Winter collections of the Neosho madtom (*Noturus placidus*), 330–333

White, Don, Jr., and Don Moll, Restricted diet of the common map turtle *Graptemys geographica* in a Missouri stream, 317–318

White-winged dove in southern Texas, status of the, David A. Swanson and John H. Rappole, 93–97

Wilkinson, Robert F., see Peterson, Chris L., —

Willig, Michael R., see Gannon, Michael R., and —

Winter abundance, age structure, and distribution of bald eagles along the Colorado River, Arizona, Bryan T. Brown and Lawrence E. Stevens, 404–408

Winter collections of the Neosho madtom (*Noturus placidus*), Thomas L. Wenke, Mark E. Eberle, Guy W. Ernsting, and William J. Stark, 330–333

Xerobates agassizii, 115

Xylem pressure potentials of single- and double-needled pinyon pines, James Malusa, 43–48

Yucca, 386, 388, 390
carnerosana, 387
decipiens, 380
filifera, 387

Zapus
hudsonius, 308–311
luteus, 308
princeps, 308
Zenaida
asiatica, 93, 388
macroura, 73, 95, 287–292, 388, 398
Zizania texana, 196
Zonotrichia leucophrys, 399
Zwank, Phillip J., see Mitchell, Christine A., —
Zygogramma tortuosa, 108, 113, 115

U.S. Postal Service

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

Required by 39 U.S.C. 3685)

1A. TITLE OF PUBLICATION	1B. PUBLICATION NO.	2. DATE OF FILING
The Southwestern Naturalist	6 1 2 5 2 0	16 October 1992
3. FREQUENCY OF ISSUE	3A. NO. OF ISSUES PUBLISHED ANNUALLY	3B. ANNUAL SUBSCRIPTION PRICE
Quarterly	4	20.00 Individuals 30.00 Institutions

4. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION *(Street, City, County, State and ZIP Code) (Not printers)*
Paula S. Williamson, Treasurer, Department of Biology, Southwest Texas State University
601 University Drive, San Marcos, Texas 78666

5. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OF GENERAL BUSINESS OFFICES OF THE PUBLISHER *(Not printer)*
Same

6. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR *(This item MUST NOT be blank)*

PUBLISHER *(Name and Complete Mailing Address)*
The Southwestern Association of Naturalists
Allen Press, Inc., Lawrence, Kansas 66044

EDITOR *(Name and Complete Mailing Address)*
Anthony A. Echelle, Zoology Department
Oklahoma State University, Stillwater, Oklahoma 74078

MANAGING EDITOR *(Name and Complete Mailing Address)*
Same

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed.)*

FULL NAME	COMPLETE MAILING ADDRESS
The Southwestern Association of Naturalists	Paula S. Williamson, Treasurer
	Department of Biology
	Southwest Texas State University
	601 University Drive
	San Marcos, Texas 78666

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

FULL NAME	COMPLETE MAILING ADDRESS

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 423.12 DMM only)*
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)

[1] [X] HAS NOT CHANGED DURING PRECEDING 12 MONTHS
[2] [ ] HAS CHANGED DURING PRECEDING 12 MONTHS

(If changed, publisher must submit explanation of change with this statement.)

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES *(Net Press Run)*	1225	1200
B. PAID CIRCULATION 1. Sales through dealers and carriers, street vendors and counter sales	None	None
2. Mail Subscription	1084	1105
C. TOTAL PAID CIRCULATION *(Sum of 10B1 and 10B2)*	1084	1105
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	18	18
E. TOTAL DISTRIBUTION *(Sum of C and D)*	1102	1123
F. COPIES NOT DISTRIBUTED 1. Office use, left over, unaccounted, spoiled after printing	123	77
2. Return from News Agents	None	None
G. TOTAL *(Sum of E, F1 and 2 - should equal net press run shown in A)*	1225	1200

11. I certify that the statements made by me above are correct and complete

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER
Paula S. Williamson Treasurer

PS Form [illegible] *(See instructions on reverse)*